

# INDEX MAPS.

## T. 2N, R. 5E. 2<sup>nd</sup> Mer.

	247-249	247-249	247-249	248	248	248
251	6	275 5	269 4	264 3	260 2	255 1 247
	275	274	268	264	259	255
251	7	274 8	268 9	263 10	259 11	254 12 246
	273	273	267	263	259	254
250	18	273 17	267 16	263 15	258 14	254 13 246
	272	272	267	262	258	253
250	19	272 20	266 21	262 22	257 23	253 24 246
	271	271	266	261	257	253
250	30	270 29	265 28	261 27	256 26	252 25 245
	270	269	265	261	256	252
249	31	269 32	264 33	260 34	256 35	251 36 245
	243-245	243-244	243-244	243-244	243-244	243-244

## T. 3N, R. 5E. 2<sup>nd</sup> Mer.

	283-284	283-284	283-284	283-285	283-285	283-285
287	6	313 5	306 4	301 3	296 2	292 1 283
	312	312	305	301	296	291
287	7	312 8	305 9	300 10	296 11	291 12 282
	311	311	305	300	295	290
286	18	310 17	304 16	299 15	295 14	290 13 282
	310	309	304	299	294	290
286	19	309 20	303 21	299 22	294 23	289 24 281
	308	308	303	298	294	289
286	30	307 29	302 28	298 27	293 26	288 25 281
	308	307	302	298	293	288
285	31	306 32	301 33	297 34	292 35	287 36 281
	279-281	279-280	279-280	279-280	279-280	279

The figures on the lines refer to the page.

# Township N. 2 North, Range N. 5 E. 2. Mer. Indiana

## South Boundary

East On Rand<sup>m</sup> S. boundary of Sec. 31, T. 2 N. R. 5 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Good farming land timber  
Beech, Oak, Walnut, Poplar &c. and g<sup>r</sup>. Spruce & Dogw<sup>d</sup>.

East On Rand<sup>m</sup> S. boundary of Sec. 32, T. 2 N. R. 5 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

66.60 a Brook 10 lks. wide Course N.

80.00 Set temp<sup>y</sup>. Sec. post. Land very Brushy.

East On Random S. boundary of Sec. 33, T. 2 N. R. 5 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

56.50 a Brook 5 lks. wide Course South

64.00 a Do 10 " " " South

80.00 Set temp<sup>y</sup>. Sec. post — Land very Brushy.

East On Random S. boundary of Sec. 34, T. 2 N. R. 5 E.

9.00 a Brook 10 lks. wide Course South

40.00 Set temp<sup>y</sup>. q. Sec. post

51.25 a Brook 10 lks. wide Course South

64.50 a Do 10 " " " South

80.00 Set temp<sup>y</sup>. Sec. post. Land &c. Same

East On Random S. boundary of Sec. 35, T. 2 N. R. 5 E.

31.50 a Brook 10 lks. wide Course S.

40.00 Set temp<sup>y</sup>. q. Sec. post

64.50 a Brook 20 lks. wide Course S.

78.50 a Brook 10 " " " S.

80.00 Set temp<sup>y</sup>. q. Sec. post.

Land timber &c. as on the last mile

East On Random S. boundary of Sec. 36, T. 2 N. R. 5 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

73.25 Intersected the N. & S. line 1.80 lks. N. of Town  
Corner. Land timber &c. as on the last mile

T<sup>2</sup>N. R 5 E. 2<sup>nd</sup> Mer. Indiana.August 25<sup>th</sup> 1886

- 
- West On true line S. boundary of Sec. 36, T<sup>2</sup>N. R 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Dogwood 16 in. dia. bears N 54 W 16<sup>1</sup>/<sub>2</sub> dist. 4  
 a Poplar 10 " " " S 54 E 17 " "  
 80.00 Set a post Cor. to Sec. 35 & 36, T<sup>2</sup>N. R 5 E. from which  
 a Beech 24 in. dia. bears N 75 W 17<sup>1</sup>/<sub>2</sub> dist. 4  
 a W. Oak 10 " " " S 70 E 20 " "
- 
- West On true line S. boundary of Sec. 35, T<sup>2</sup>N. R 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Dogwood 5 in. dia. bears S 86 W 4<sup>1</sup>/<sub>2</sub> dist. 4  
 a W. Oak 10 " " " N 8 E 16 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T<sup>2</sup>N. R 5 E. from which  
 a B. Oak 15 in. dia. bears S 32 E 12<sup>1</sup>/<sub>2</sub> dist. 4  
 a Hickory 10 " " " N 28 E 13 " "
- 
- West On true line S. boundary of Sec. 34, T<sup>2</sup>N. R 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Chestnut 30 in. dia. bears S 10 E 16<sup>1</sup>/<sub>2</sub> dist. 4  
 a Poplar 30 " " " N 8 W 26 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T<sup>2</sup>N. R 5 E. from which  
 a Poplar 5 in. dia. bears S 74 E 8<sup>1</sup>/<sub>2</sub> dist. 4  
 a W. Oak 6 " " " N 53 W 7 " "
- 
- West On true line S. boundary of Sec. 33, T<sup>2</sup>N. R 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Chestnut 30 in. dia. bears S 28 E 22<sup>1</sup>/<sub>2</sub> dist. 4  
 a Hickory 10 " " " N 37 W 17 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T<sup>2</sup>N. R 5 E. from which  
 a Dogwood 5 in. dia. bears S 28 E 15<sup>1</sup>/<sub>2</sub> dist. 4  
 a B. Oak — " " " N 59 E 18 " "
- 
- West On true line S. boundary of Sec. 32, T<sup>2</sup>N. R 5 E.  
 40.00 Set the q. Sec. post on true line, from which

# Township 5 E. 2<sup>d</sup> Mer. Indiana

a Hickory 10 in. dia. bears S 15 E 23 lks. dist. &  
 a Poplar 15 " " " N 45 W " "  
 80.00 Set a post Cor. to Sec. 31 & 32, T. 2 N. R. 5 E. from which  
 a B. Walnut 5 in. dia. bears S 46 W 5 lks. dist. &  
 a Beech 15 " " " N 34 E 3 1/2 " "

West On true line S. boundary of Sec. 31, T. 2 N. R. 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a W. Ash 15 in. dia. bears N 45 W 22 lks. dist. &  
 a Beech 10 " " " N 26 E 18 " "  
 73.26 To the Township Corner. Comp.

## East Boundary of T. 2 N. R. 5 E.

North On E. boundary of Sec. 36,

4.50 at Brook 10 lks. wide Course S. E.  
 23.30 a Poplar 29 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears S 55 E 10 lks. dist. &  
 a W. Oak 5 " " " S 87 W 2 1/2 " "  
 54.00 at Brook 20 lks. wide Course S. E.  
 54.30 a Beech 14 in. dia.  
 66.10 a Elm 10 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, from which  
 a Sugar 10 in. dia. bears S 38 W 9 1/2 lks. dist. &  
 a Do 6 " " " S 25 E 7 " "  
 (Description Omitted)

North On E. boundary of Sec. 25, T. 2 N. R. 5 E.

a. 40.00 Set the q. Sec. post, from which  
 a Beech 5 in. dia. bears S 23 W 26 lks. dist. &  
 a Poplar 15 " " " N 60 W 36 " "  
 52.00 a Poplar 20 " "  
 80.00 Set a post Cor. to Sec. 24 & 25, from which



T2 N. R5 E. 2.<sup>nd</sup> Mer. Indiana

a Sassafras 5 in. dia. bray N 83° E 32 lks. dist. of  
 a Do 5 " " " N 72° W 3 " "  
 Good farming land, timber Beech, underg<sup>th</sup>.  
 Spicewood.

North On E. boundary of Sec. 24, T2 N. R5 E.  
 3.90 a Poplar 18 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Hickory 10 in. dia. bray S 7° E 28 lks. dist. of  
 a P. Oak 20 " " " N 60° E 14 " "  
 40.80 a Chestnut 50 " "  
 79.10 a P. Oak 30 " "  
 80.00 Set a post Cor. to Sec. 13 of 24, from which  
 a Sugar 10 in. dia. bray N 88° W 14 lks. dist. of  
 a Hickory 10 " " " S 10° W 20 " "  
 Good farming land, timber Oak & Hickory

North On E. boundary of Sec. 13, T2 N. R5 E.  
 40.00 Set the q. Sec. post, from which  
 a Gum 15 in. dia. bray S 12° E 6 lks. dist. of  
 a Dogwood 5 " " " N 6° W 9 " "  
 60.00 a Brook - lks. wide Course S. W.  
 60.56 a Gum 18 in. dia.  
 80.00 Set a post Cor. to Sec. 12 of 13, from which  
 a Beech 6 in. dia. bray S 71° E 16 lks. dist. of  
 a Chestnut 20 " " " S 74° W 17 " "  
 Land level Convenient for farming, Timber Beech  
 Oak, Hickory, Sugar & Gum.

North On E. boundary of Sec. 12, T2 N. R5 E.  
 40.00 Set the q. Sec. post, from which  
 a Chestnut 49 in. dia. bray S 86° E 18 lks. dist. of  
 a Do 40 " " " N 86° W 32 " "

347

# T3N R5E T. Mer. Indiana

45.00 a Chestnut 40 in. dia. in the line  
 65.00 a Brook 15 lks. wide Course S.W.  
 80.00 Set a post Cor. to Sec. 1 & 12, from which  
     a Dogwood 5 in. dia. bears N 56 E 12 lks. dist. of  
     a P. Oak 20 " " " S 75 W 27 " "  
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T3N. R5E.

13.50 a Brook 10 lks. wide Course S.W.  
 31.55 a W. Oak 15 in. dia.  
 40.00 Set the q. Sec. post, from which  
     an Ironwood 6 in. dia. bears N 65 W 8 lks. dist. of  
     a Poplar 12 " " " S 40 E 6 " "  
 80.00 Set a post Cor. to Township N. 2 & 3 North, of  
     Range N. 5 & 6 East, from which  
     a W. Oak 20 in. dia. bears N 62 W 5 lks. dist. of  
     a Hickory 8 " " " S 83 E 28. " "  
 The 1<sup>st</sup> 1/2 mile same as last mile - the last 1/2  
 mile over very hilly thin Soil, hills very high.

## North Boundary

East On Rand. S. boundary of Sec. 31, T3N. R5E.

40.00 Set temp. q. Sec. post  
 80.00 Set temp. Sec. post. Good level farming land

East On Rand. S. boundary of Sec. 32, T3N. R5E.

40.00 Set temp. q. Sec. post  
 80.00 Set temp. Sec. post. Land &c. same as last mile

East On Rand. S. boundary of Sec. 33, T3N. R5E.

40.00 Set temp. q. Sec. post  
 80.00 Set temp. Sec. post. This mile over knobs  
     very high hills

T3N R5E 2<sup>nd</sup> Mer. Indiana

East On Rand<sup>m</sup> S. boundary of Sec. 34, T3N. R5E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 60.00 a Brook 20 lbs. wide Course North  
 80.00 Set temp<sup>y</sup>. Sec. post. Land &c. same as last mile

East On Rand<sup>m</sup> S. boundary of Sec. 35, T3N. R5E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.00 Set temp<sup>y</sup>. Sec. post. Land &c. same

East On Rand<sup>m</sup> S. boundary of Sec. 36, T3N. R5E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.84 Intersected the N & S. line 15 lbs. S. of Town  
 Corner. Land the same very hilly

West On true line S. boundary of Sec. 36, T3N. R5E.  
 40.00 Set the q<sup>r</sup>. Sec. post on true line, from which  
 a B. Oak 10 in. dia<sup>r</sup>. bran N55W 14 lbs. dist of  
 a Do 8 " " " N69W 12 " "  
 80.00 Set a post Cor. to Sec. 35 & 36, T3N. R5E, from which  
 a B. Oak 8 in. dia<sup>r</sup>. bran N83E 24 lbs. dist. of  
 a Do 7 " " " N62W 8 " "

West On true line S. boundary of Sec. 35, T3N. R5E  
 40.00 Set the q<sup>r</sup>. Sec. post on true line, from which  
 a Poplar 12 in. dia<sup>r</sup>. bran N86E 24 lbs. dist. of  
 a Beech 8 " " " N40W 8 1/2 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T3N. R5E, from which  
 a Beech 24 in. dia<sup>r</sup>. bran N74E 43 lbs. dist

West On true line S. boundary of Sec. 34, T3N. R5E.  
 40.00 Set the q<sup>r</sup>. Sec. post, on true line, from which  
 a Hickory 6 in. dia<sup>r</sup>. bran N67E 10 lbs. dist. of  
 a Beech 3 " " " N67W 15 " "

T3 N. R5 E. 2<sup>d</sup> Mer. Indiana

80.00 Let a post cor. to Sec. 33 & 34, T3 N. R5 E. from which  
 a P. Oak 10 in. dia. bears N75°W 33 lks. dist. of  
 a Do 8 " " " N52 E 47 " "

West On true line S. boundary of 33, T3 N. R5 E.

40.00 Let the q. Sec. post on true line from which  
 a P. Oak 25 in. dia. bears S53 E 44 lks. dist. of  
 a Do 40 " " " N42°W 23 " "

80.00 Let a post cor. to Sec. 32 & 33, T3 N. R5 E. from which  
 a W. Oak 6 in. dia. bears N80 E 26 lks. dist. of  
 a Beech 20 " " " S80°W 2 " "

West On true line S. boundary of Sec 32, T3 N. R5 E.

40.00 Let the q. Sec. post on true line, from which  
 a Beech 24 in. dia. bears S64°W 11 lks. dist. of  
 a Dogw. 5 " " " N20°W 18 " "

80.00 Let a post cor. to Sec. 31 & 32, T3 N. R5 E. from which  
 a Beech 5 in. dia. bears N44 E 6 lks. dist. of  
 a Do 8 " " " S24 E 10 1/2 " "

West On S. boundary of Sec. 31, T3 N. R5 E.

40.00 Let the q. Sec. post on true line, from which  
 a Dogwood 5 in. dia. bears N62 E 13 lks. dist. of  
 a W. Oak 10 " " " S2°W 22 " "

82.84 to the Township Corner.

West Boundary. Sept. 17<sup>th</sup> 1806

North On E. boundary of Sec 36, T3 N 4 E.

25.00 a Brook 50 lks. wide Course West

37.50 a Do 10 " " " S. E.

40.00 Let the q. Sec. post, from which  
 a Beech 20 in. dia. bears N65°W 34 lks. dist. of  
 a Sugar 10 " " " S65 E 15 " "



T. N. R. 5 E. 2<sup>d</sup>. Mer. Indiana

50. 00 a Brook 10 lks. wide Course S. W.  
 50. 00 Set a post Cor. to Sec. 25 & 36, from which  
 a Beech 10 in. dia. bears S 60 E 9 lks. dist. &  
 a Do 6 " " " S 65 W 15 " "  
 Middling farming land, timber Beech, Sugar,  
 Oak, & Hickory.

- North On E. boundary of Sec. 25, T. 2 N. R. 4 E.  
 40. 00 Set the q. Sec. post, from which  
 a Sugar 5 in. dia. bears N 73 E 17 lks. dist. &  
 a Mulberry 10 " " " N 70 W 23 " "  
 30. 00 Set a post Cor. to Sec. 24 & 25, from which  
 a Sugar 10 in. dia. bears N 88 E 5 lks. dist. &  
 a Do 7 " " " N 40 W 21 " "  
 Land timber &c. Same as on the last Mile

- North On E. boundary of Sec. 24, T. 2 N. R. 4 E.  
 40. 00 Set the q. Sec. post, from which  
 a Sugar 5 in. dia. bears S 41 E 16 lks. dist. &  
 a Poplar 4 " " " N 2 W 12 " "  
 30. 00 Set a post Cor. to Sec. 13 & 24, from which  
 a Beech 15 in. dia. bears N 60 W 7 lks. dist. &  
 a W. Oak 15 " " " N 57 E 18 " "  
 Land the same timber Beech, Oak, & Hickory

- North On E. boundary of Sec. 13, T. 2 N. R. 4 E.  
 40. 00 Set the q. Sec. post, from which  
 a Poplar 12 in. dia. bears N 42 W 13 lks. dist. &  
 a B. Walnut 12 " " " S 32 E 21 " "  
 66. 50 a Brook 15 lks. wide Course West  
 30. 00 Set a post Cor. to Sec. 12 & 13, from which  
 a B. Walnut 14 in. dia. bears N 55 W 3 lks. dist. &  
 a Sugar 5 " " " N 64 E 12 " "



# Town R 5 E. 2<sup>nd</sup> Mer. Indiana

Good farming Land underbrush Spicewood.

North On E. boundary of Sec. 12, T 2 N. R 4 E.  
 35.00 a Poplar 40 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 10 in. dia. bears S 20° W 17 lks. dist. &  
 a Do 10 " " " N 62° E 21 " "  
 78.00 a Brook 10 lks. wide Course W.  
 80.00 Set a post Cor. To Sec. 14, 12, from which  
 a Beech 16 in. dia. bears N 72° E 11 lks. dist. &  
 a Sassafras 10 " " " N 72° W 18 " "  
 Land timber &c. Same as on the last Mile

North On E. boundary of Sec. 1, T 2 N. R 4 E.  
 10.00 a Brook 10 lks. wide Course W.  
 40.00 Set the q. Sec. post, from which  
 a Dogwood 6 in. dia. bears S 23° E 16 lks. dist. &  
 a Beech 20 " " " N 23° W 6 1/2 " "  
 68.00 a Poplar 40 " "  
 80.00 Set a post Cor. To Townships N. 34 3 North  
 Ranges 44 5 E. from which  
 a Dogwood 6 in. dia. bears S 30° W 16 lks. dist. &  
 a Do 6 " " " S 45° E 3 1/2 " "  
 Land timber &c. Same as on the last Mile  
 Surveyed by Arthur Henrie, D. S.

Subdivision November 5<sup>th</sup> 1806

North Between Secs. 35 & 36, T 2 N. R 5 E.  
 22.07 a Beech 14 in. dia.  
 40.00 a Poplar 5 " " for Corner tree  
 40.75 a Run 6 lks. wide Course S. E.  
 53.50 a Do 8 " " " S. E.  
 56.71 a Beech 24 in. dia.

S 2 N R 5 E. 2<sup>nd</sup> Mer. Indiana

30.00 Set a post Cor To Secs. 25, 26, 35 & 36, from which  
 a Be Oak 24 in. dia. bears N 80 E 60 lks. dist. &  
 a W. Oak 48 " " " S 48 W 50 " "  
 Land good Soil rolling brushy timber Oak, Sugar  
 Poplar &c.

East On Randon between Secs. 25 & 36, S 2 N R 5 E.  
 26.50 a Run 4 lks. wide Course N. E.  
 40.00 Set temp. q. Sec. post  
 52.50 a Run 15 lks. wide Course N. E.  
 55.80 a do 30 " " " S. E.  
 73.00 a do 6 " " " S. E.  
 80.00 Intersected the E. boundary 50 lks. N. of post  
 Description Omitted.

West Corrected between Secs. 25 & 36, S 2 N R 5 E.  
 40.00 Set q. Sec. post at averag dist. from which  
 a W. Oak 10 in. dia. bears N 22 W 33 lks. dist. &  
 a Poplar 10 " " " S 52 E 15 " "  
 80.00 to Section Corner.

North Between Secs. 25 & 26, S 2 N R 5 E.  
 24.75 a Run 15 lks. wide Course E.  
 28.99 a W. Oak 8 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 11 in. dia. bears N 81 E — lks. dist. &  
 a do 9 " " " S 72 E 5 " "  
 52.60 a Run 15 lks. wide Course E.  
 58.59 a Hickory 12 in. dia.  
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which  
 a Beech 8 in. dia. bears S 54 E 21 lks. dist. &  
 a do 14 " " " N 84 W 13 " "  
 Land and timber as on the last Mile

# *Sec. 125 E. 2<sup>d</sup> Mer. Indiana*

East On Random between Sec. 24 & 25. S 2 N. R 5 E.

40.00 Set temp<sup>y</sup>. g<sup>f</sup>. Sec. post.

44.75 a Run 10 lks. wide Course S.

46.50 a Do 8 " " " S. W.

80.67 Intersected the E. boundary 124 lks. N. of post  
Land of this Mile as last

West Corrected between Sec. 24 & 25. S 2 N. R 5 E.

40.33 Set g<sup>f</sup>. Sec. post, at average dist. from which  
a Dogwood 4 in. dia. bears S 82 E 5 lks. dist. &  
a Do 8 " " " S 60 W 21 " "

80.67 To Section Corner

North Between Sec. 23 & 24, S 2 N. R 5 E.

16.33 a B. Oak 18 in. dia.

40.00 Set the g<sup>f</sup>. Sec. post, from which  
a W. Oak 8 in. dia. bears S 77 E 50 lks. dist. &  
a B. Oak 18 " " " N 87 W 16 " "

58.80 a Poplar 36 " " "

80.00 Set a post, Cor. to Sec. 13, 14, 23 & 24, from which  
a Chest. 14 in. dia. bears S 7 W 10 lks. dist. &  
an Ash 11 " " " N 31 E 31 " "

Land of this Mile has good Soil timber Oak Chest. Poplar  
undergrowth gum briar Oak &c.

East On Random between Sec. 13 & 24, S 2 N. R 5 E.

9.50 a Run 15 lks. wide Course N. W.

40.00 Set temp<sup>y</sup>. g<sup>f</sup>. Sec. post

81.00 Intersected the E. boundary 16 lks. S. of post  
Land level wet Soil timber Maple Oak, &c.

West Corrected between Sec. 23 & 24, S 2 N. R 5 E.

40.50 Set g<sup>f</sup>. Sec. post. at average dist. from which

S 2 N. R 5 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 14 in. dia., bears S 38 W 12 lks. dist. 7  
 a Poplar 30 " " " N 38 E 71 " "  
 81.00 to Section Corner

North Between Secs. 13 & 14, S 2 N. R 5 E.  
 6.00 a Run 8 lks. wide Course N. E.  
 14.06 a Chest. 36 in. dia.  
 28.50 a Run 15 lks. wide Course W. water in Holes  
 40.00 Set the q. Sec. post, from which  
 a Dogwood 6 in. dia., bears S 15 W 10 lks. dist. 7  
 a Ironwood 5 " " " N 44 E 13 " "  
 57.13 a B. Oak 26 " "  
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which  
 a Beech 16 in. dia., bears S 81 W 22 lks. dist. 7  
 a Do 12 " " " N 75 E 7 " "  
 Land more open than last.

East On Prandon between Secs. 12 & 13, S 2 N. R 5 E.  
 37.50 a Run 8 lks. wide Course S.  
 40.00 Set temp. q. Sec. post  
 81.35 Intersected the E. boundary 80 lks. N. of post  
 this mile rich Land Lumber Poplar Beech  
 Sugar Oak walnut rolling open woods

West Corrected between Secs. 12 & 13, S 2 N. R 5 E.  
 41.17 Set q. Sec. post at average dist. from which  
 a Beech 8 in. dia., bears S 46 E 22 lks. dist. 7  
 a Do 5 " " " N 27 W 30 " "  
 81.35 to Section Corner

North Between Secs. 11 & 12, S 2 N. R 5 E.  
 10.85 a Chest. 36 in. dia.  
 27.50 a Run 10 lks. wide Course W.

T2 N R5 E. 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia<sup>r</sup>. bears N 54 W 28 lks. dist. 4  
a Do 8 " " " S 32 E 28 " "
- 44.75 a Run 6 lks. wide Course W. dry
- 55.50 a Creek 25 lks. " " S. W.
- 56.63 Sycamore 28 in. dia<sup>r</sup>.
- 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which  
a Sugar 15 in. dia<sup>r</sup>. bears S 64 E 40 lks. dist. 4  
a Sassafras 7 " " " N 28 W 26 " "  
Land rich 1<sup>st</sup> quality timber Beech, Sugar, Oak, Ash.

East On Randon between Sec. 1 & 12, T2 N R5 E.

- 10.50 a Run 8 lks. wide Course S. dry
- 34.00 a Do 40 " " " S. W.
- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post
- 44.00 a Run 40 lks. wide Course N. W.
- 83.00 Intersected the E. boundary 72 lks. N. of post.  
Land rich timber Oak Beech Sugar

West Corrected between Sec. 1 & 12, T2 N R5 E.

- 41.50 Set q<sup>r</sup>. Sec. post at average dist. from which  
a W. Walnut 16 in. dia<sup>r</sup>. stands for the q<sup>r</sup>. Corner
- 83.00 to Sec. Corner

North Between Sec. 1 & 2, T2 N R5 E.

- 30.00 descending steep knob
- 33.47 a Chestnut 28 in. dia<sup>r</sup>.
- 40.00 Set the q<sup>r</sup>. Sec. post in the hollow of knob, from which  
a Gum 14 in. dia<sup>r</sup>. bears S 5 E 37 lks. dist. 5  
a Sugar 6 " " " N 35 W 12 " " 1<sup>st</sup> part  
of this half mile good land - last part poor hills
- 48.10 a Chestnut 16 in. dia<sup>r</sup>.
- 76.76 Intersected the N. boundary 64 lks. W. of post



T2 N. R5 E. 2<sup>d</sup> Mer. Indiana

Set a post Cor. to Sec. 16 & 27, from which  
 a Chest. Oak 14 in. dia. bran S34W50 lks. dist. of  
 a Do 14 " " " S67E35 " "  
 Land poor points of knobs, Chest. oak & chesnut

North Between Sec. 34 & 35, T2 N. R5 E.

22.42 a B. Oak 30 in. dia.

40.00 Set the g. Sec. post, from which  
 a W. Oak 6 in. dia. bran N89E26 lks. dist. of  
 a Do 10 " " " N61W36 " "

55.50 a run 6 lks. wide Course S.W.

59.90 a Beech 14 in. dia.

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which  
 a B. Oak 14 in. dia. bran N74E54 lks. dist. of  
 a Poplar 20 " " " N89W34 " "  
 Rolling rich land, timber Poplar, Oak &c.

Friday 7<sup>th</sup> November 1806. (rainy day)

East On Kan 8<sup>m</sup> between Sec. 26 & 35, T2 N. R5 E.

40.00 Set temp. g. Sec. post

43.50 a run 6 lks. wide Course S.E.

79.61 Intersected the N.S. line at the post

Land rolling rich Soil Limb. Poplar, Beech, Sugar &c.

West Corrected between Sec. 26 & 35, T2 N. R5 E.

39.80<sup>1</sup>/<sub>2</sub> Set g. Sec. post at average dist. from which  
 a Dogwood 5 in. dia. bran S6E41 lks. dist. of  
 a Do 7 " " " N40W21 " "

79.61 to Sec. Corner

North Between Sec. 26 & 27, T2 N. R5 E.

21.30 a Poplar 48 in. dia.

40.00 Set the g. Sec. post, from which

# S2 N R 5 E. 2<sup>d</sup>. Mer. Indiana

257

a B. Oak 8 in. dia. bears N 43 E 21 lks. dist. &  
 a W. Oak 4 " " " S 34 W 6 " "  
 49.89 a Run 15 lks wide Course W.  
 55.61 a Beech 16 in. dia.  
 56.50 a Run 10 lks wide Course W.  
 80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Dogwood 9 in. dia. bears S 79 W 12 lks dist. &  
 a Poplar 18 " " " S 43 E 33 " "  
 Land brushy and in places Honey timber W. & B. Oak  
 good Soil rolling.

East On Random between Sec. 23 & 26, S2 N R 5 E.  
 26.00 a Run 6 lks wide Course S.  
 30.50 a Do 10 " " " S. W.  
 40.00 Set temp. q. Sec. post  
 79.11 Intersected the N. & S. line at the post  
 Land rolling rich Soil timber Poplar Oak. Beech  
 undergrowth Spice & Green briars &c.

West Corrected between Sec. 23 & 26, S2 N R 5 E.  
 39.55 Set q. Sec. post at average dist. from which  
 a Beech 10 in. dia. bears S 60 W 27 lks. dist. &  
 a Do 10 " " " N 43 E 14 " "  
 79.11 to Section Corner

North Between Sec. 22 & 23, S2 N R 5 E.  
 15.25 a Poplar 36 in. dia.  
 27.75 a Run 10 lks wide Course W.  
 40.00 Set the q. Sec. post, from which  
 a Poplar 50 in. dia. bears N 17 E 25 lks. dist. &  
 a Beech 12 " " " S 17 W 35 " "  
 Rich level Land timber Beech Poplar Sugar  
 Gum Ash underg. briars redbud &c.

S 2 N R 5 E. 2<sup>d</sup> Mer. Indiana

47.33 Chest. 40 in. dia.  
 56.50 a Run 20 lks wide Course W. Dry  
 65.10 a Chest 28 in. dia.  
 80.00 Set a post Cor To Sec. 14, 15, 22 & 23, from which  
 a Beech 18 in. dia. bears S 67 W 31 lks. dist. of  
 a W. Oak 14 " " " N 66 E 10 " "  
 Land as on the last p. Mile

East On Prandon between Sec. 14 & 23, S 2 N. R 5 E.  
 4.00 a Run 8 lks. wide Course N. Dry  
 40.00 Set temp. 7. of Sec. post  
 79.02 Intersected the N. & S. line 3 lks. N. of post  
 Land Hilly & brushy timber Hick. Chest. Poplar  
 underg. Spice briar Oak &c.

West Corrected between Sec. 14 & 23, S 2 N. R 5 E.  
 39.51 Set the of. Sec. post at average dist. from which  
 a Gum 20 in. dia. bears N 67 W 12 lks. dist. of  
 a B. Oak 28 " " " S 77 E 24 " "  
 79.02 to Sec. Corner.

North Between Sec. 14 & 15, S 2 N. R 5 E.  
 5.50 a run 25 lks. wide Course N. W.  
 6.50 a do " " " N. E.  
 7.50 a do " " " N. W.  
 13.50 a run 35 lks. " " S. W.  
 29.11 a Poplar 48 in. dia.  
 40.00 Set the of. Sec. post, from which  
 a W. Oak 48 in. dia. bears N 9 E 28 lks. dist. of  
 a Poplar 36 " " " S 30 W 61 " "  
 57.12 a. Sugar 12 " "  
 72.50 a Creek 40 lks. wide Course W  
 74.00 a Run 6 lks. " " S. W.

80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which  
a Beech 15 in. dia. bear N 44 W 17 lks. dist. &  
a Do 10 " " " S 54 E 89 " "  
Land rich some hilly, timber Oak, Beech &c.

East On Rand<sup>m</sup>. between Sec. 11 & 14, T2N. R5E.

7.00 a creek 40 lks. wide Course S. W.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
79.75 Intersected the N & S. line 37 lks. N. of the post  
Land rolling, timber Oak, Beech &c.

West Corrected between Sec. 11 & 14, T2N. R5E.

39.87 1/2 Let the q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 14 in. dia. bear N 99 W 27 lks. dist. &  
a Do 16 " " " S 3 E 15 " "  
79.75 to Sec. Corner Saturday Nov. 22<sup>d</sup>. 1806.

North Between Sec. 10 & 11, T2N. R5E.

15.50 a run 8 lks. wide Course S 10 E.  
18.23 a W. Oak 14 in. dia.  
40.00 Let the q<sup>r</sup>. Sec. post, from which  
a Hickory 14 in. dia. bear S 43 W 28 lks. dist. &  
a Beech 6 " " " N 71 E 32 " "  
Land rolling rich Soil, Limb. Walnut, Oak, beech, Spruce &c.  
66.40 a W. Oak 14 in. dia.  
80.00 Let a post <sup>in knobs</sup> Cor. to Sec. 2, 3, 10 & 11, from which  
a Chest. Oak 26 in. dia. bear S 67 E 25 lks. dist. &  
a Do 12 " " " N 35 W 4 " "  
Land poor knobs, steep points &c.

East On Rand<sup>m</sup>. between Sec. 2 & 11, T2N. R5E.

12.50 a run 8 lks. wide Course N.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post. Land steep knobs



T2N-125E. 2<sup>d</sup>. Mer. Indiana

80.00 Intersected the N & S. line 66 lks. N. of post  
This 1/2 mile good rich soil, Timber Beech, Oak &c.

West Corrected between Secs. 2 & 11, T2N, 125E.

40.00 Let the q. Sec. post. at average dist. from which  
a Sym 10 in. dia. is the q. Sec. Corner

80.00 to Sec. Corner

North Between Secs. 2 & 3, T2N, 125E.

16.00 a Poplar 36 in. dia.

40.00 Let the q. Sec. post. from which  
a Chest. Oak 9 in. dia. bear N 56° W 21 lks. dist. of  
a Do 7 " " " S 56° E 2 " "

70.14 a Poplar 36 " "

71.25 a run 15 lks. wide Course W.

75.25 Intersected the N. boundary 84 & lks. N. of post  
Let a post Cor. to Secs. 2 & 3, from which  
a Beech 8 in. dia. bear S 28° W 45 lks. dist. of  
a Do 4 " " " S 61° E 7 " "  
Land hilly poor steep knobs, timber Oak &c.

North Between Secs. 33 & 34, T2N, 125E.

17.40 a Maple 16 in. dia.

40.00 Let the q. Sec. post. from which  
a Poplar 16 in. dia. bear S 64° W 32 lks. dist. of  
a Maple 11 " " " N 53° E 12 " "

59.77 a W. Oak 40 " "

80.00 Let a post Cor. to Secs. 27, 28, 33 & 34, from which  
a Sugar 12 in. dia. bear S 46° E 28 lks. dist. of  
a Beech 26 " " " N 51° W 30 " "

Land rolling good Soil timber Poplar, Chest.  
Oak &c.

Nov. 6. 1806.



# T2 N R5 E. 2<sup>d</sup>. Mer. Indiana

261

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 27 & 34, T2 N. R5 E.  
 3.00 a Run 10 lks. wide Course N.W.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.10 Intersected the N. & S. line 50 lks. N. of post  
 Land rolling rich Soil, Timb. Poplar, Chest. Oak &c.

West Corrected between Sec<sup>s</sup>. 27 & 34, T2 N. R5 E.  
 39.55 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 12 in. dia<sup>r</sup>. bears S 41 W 9 lks. dist. &  
 a Poplar 48 " " " N 34 W 18 " "  
 79.10 To Section Corner

North Between Sec<sup>s</sup>. 27 & 28, T2 N. R5 E.  
 11.65 a Run 15<sup>lks</sup> wide Course. N. W.  
 23.30 a Sugar 12 in. dia<sup>r</sup>.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 26 in. dia<sup>r</sup>. bears S 45 W 26 lks. dist. &  
 a Do 18 " " " N 73 E 26 " "  
 57.05 a Beech 10 " "  
 76.50 a Run 8 lks. wide Course N. E.  
 79.00 a Do " " " S. W.  
 80.00 Set a post Corner TO Sec<sup>s</sup>. 21, 22, 27 & 28, from which  
 a Beech 16 in. dia<sup>r</sup>. bears S 53 E 29 lks. dist. &  
 a Do 12 " " " N 40 W 62 " "  
 Land of this mile rolling & rich timber Poplar Beech  
 Walnut Oak green briars. Nov<sup>r</sup>. 8<sup>th</sup>. 1806.

East On Random between Sec<sup>s</sup>. 22 & 27, T2 N. R5 E.  
 15.00 a Run 6 lks. wide Course S. W.  
 25.00 a Do 6 " " " S. W.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
 40.50 a Run 6 lks. wide Course S. W.  
 79.10 Intersected the N. & S. line 15 lks. N. of post

S 2 N R 5 E 2<sup>d</sup> Mer. Indiana

Land as on the last mile

West Corrected between Secs. 22 & 27, S 2 N R 5 E.  
 39.55 Set q. Sec. post at average dist. from which  
 a Beech 20 in. dia. bears N 48 E 15 lks. dist. &  
 an Ash 16 " " " S 5 W 32 " "  
 79.10 to Section Corner

North Between Secs. 21 & 22, S 2 N R 5 E.  
 15.40 a Beech 30 in. dia.  
 35.00 a Run 6 lks wide Course W.  
 40.00 Set the q. Sec. post, from which  
 a Ches<sup>t</sup> 14 in. dia. bears S 2 E 19 lks. dist. &  
 a Beech 24 " " " N 2 W 13 " "  
 46.00 a Run 40 lks. wide Course W.  
 57.00 a Beech 30 in. dia.  
 76.00 a Run 6 lks. wide Course S. W.  
 80.00 Set a post Corner, to Secs. 15, 16, 21 & 22, from which  
 a Beech 10 in. dia. bears S 83 W 9 lks. dist. &  
 a Poplar 26 " " " N 89 E 39 " "  
 Level rich Soil Beech, underg<sup>d</sup> Spruce &c.

East On Random between Secs. 15 & 22, S 2 N R 5 E.  
 36.50 a Run 40 lks. wide Course S.  
 46.00 Set temp<sup>y</sup> q. Sec. post  
 78.50 Intersected the N. & S. line 61 lks. N. of post  
 Land rich timber Beech Sugar Poplar More Hills.

West Corrected between Secs. 15 & 22, S 2 N R 5 E.  
 39.25 Set q. Sec. post at average dist. from which  
 a W. Oak 10 in. dia. bears S 12 W 25 lks. dist. &  
 a Sugar 9 " " " S 10 W 4 " "  
 75.50 to Section Corner

S 2 N R 5 E. 2<sup>d</sup> Mer. Indiana

North Between Secs. 15 & 16, S 2 N R 5 E.

17.50 a Gum 18 in. dia.

40.00 Set the q. Sec. post, from which  
a Sugar 10 in. dia. bears S 16 W 11 lks. dist. &  
a Dogw. 8 " " " N 81 E 15 " "

71.71 a B. Oak 30 " "

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which  
a Sugar 11 in. dia. bears S 67 E 43 lks. dist. &  
a Beech 18 " " " N 67 W 21 " "

Land rich rolling timber Beech Oak Sugar &c.

East On Prandome between Secs. 10 & 15, S 2 N R 5 E.

28.00 a Run 6 lks. wide Course S.

31.50 a run up & down several times

35.50 a do 6 lks wide Course S. E.

40.00 Set temp. q. Sec. post

71.50 a Run 10 lks wide Course S. E.

78.23 Intersected the N. & S. line 19 lks. N. of post

Land good soil timber Oak. Beech Poplar Hickory &c.

West Corrected between Secs. 10 & 15, S 2 N R 5 E.

39.11 1/2 Set q. Sec. post at average dist. from which  
a Chest. 12 in. dia. bears S 46 W 9 lks. dist. &  
a W. Oak 11 " " " S 34 E 28 " "

78.25 to Section Corner

North Between Secs. 9 & 10, S 2 N R 5 E.

27.72 a Beech 10 in. dia.

40.00 Set the q. Sec. post, from which  
a Chest. 50 in. dia. bears South 8 lks. dist. &  
a Beech 14 " " " S 89 1/2 W 38 " "

57.91 a Hickory 30 " "

80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which

S 2 N R 5 E. T<sup>r</sup>. Mer. Indiana

a W. Oak. 50 in. dia. bears S 72 E 16 lks. dist. &  
 a do 40 " " " N 74 W 42 " "  
 Land rolling rich Soil Oak. Beech Poplar Sugar  
 underg<sup>r</sup>. Spruce &c.

East On Random between Secs. 3 & 10, S 2 N R 5 E.  
 41.00 Set temp<sup>y</sup>. of Sec. post  
 65.50 a Run 6 lks. wide Course N. dry  
 70.50 a do 10 " " " N. 10 W. dry  
 81.25 Intersected the N. & S. line 20 lks. N. of post  
 Land thin Soil steep pointed knobs. Oak &c.

West Corrected between Secs. 3 & 10, S 2 N R 5 E.  
 40.12 Set of Sec. post at average dist. from which  
 a W. Oak 12 in. dia. bears N 88 W 17 lks. dist. &  
 a Beech 11 " " " S 55 E 27 " "  
 80.25 to Section Corner.

North Between Secs. 3 & 4, S 2 N R 5 E.  
 33.55 a Chest Oak 12 in. dia.  
 40.00 an Elm is the of Sec. corner on hill side  
 41.00 a Run 15 lks. wide Course E.  
 62.25 a do 20 " " " E.  
 70.00 a Hickory 16 in dia.  
 72.00 a Run 6 lks. wide Course N. E.  
 77.87 Intersected the N. boundary 940 lks. N. of post  
 Set a post Cor. to Secs. 3 & 4, from which  
 a W. Oak 16 in. dia. bears S 33 W 12 lks. dist. &  
 a Ches. Oak 18 " " " N 84 W 65 " "  
 Land steep poor hills unfit for Cultivation timber  
 C. W. & B. Oak. &c.

North Between Secs. 32, 33, S 2 N R 5 E.

- 15.67 a Gum 16 in. dia.  
 39.00 a Beech 24 " "  
 40.00 Set the q. Sec. post, from which  
 a Mulberry 3 in. dia. bears S 29 E 3 lks. dist. &  
 a Ironwood 10 " " " N 42 W 21 " "  
 41.50 a Run 10 lks. wide Course N. W.  
 52.00 a do 6 " " " S. W.  
 65.31 a Beech 20 in. dia.  
 72.25 a Run 6 lks. wide Course S. W.  
 80.00 Set a post Cor: to Secs. 28, 29, 32 & 33, from which  
 a Beech 10 in. dia. bears N 74 E 15 lks. dist. &  
 a Poplar 28 " " " S 64 W 20 " "  
 Sand rich Soil timber Beech ash Poplar & long in Places

East On Random between Secs. 28 & 33, S 2 N R 5 E.

- 5.64 a Run 6 lks. wide Course S. W.  
 40.00 Set temp. q. Sec. post  
 69.64 a Run 6 lks. wide Course N.  
 71.64 a do 15 " " " N. W.  
 73.64 a do 15 " " " S. W.  
 78.64 Intersected the N. & S. line 30 lks. N. of post  
 Land & timber as on the last mile

West Corrected between Secs. 28 & 33, S 2 N R 5 E.

- 39.32 Set q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears S 31 E 21 lks. dist. &  
 a Gum 12 " " " N 76 W 10 " "  
 78.64 To Section Corner

North Between Secs. 28 & 29, S 2 N R 5 E.

- 19.70 a Beech 16 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a W. Walnut 8 in. dia. bears N 43 E 15 lks. dist. &



S 2 N R 5 E, 2<sup>d</sup> Mer. Indiana

- a W. Walnut — in. dia. bears S 49 W 6 lks. dist.  
 46.00 a Run 15 lks. wide Course N. W.  
 50.50 a Creech 30 " " " W.  
 67.69 a Maple 16 in. dia.  
 80.00 Set a post Cor. to Secs. 20 & 21, 28 & 29, from which  
 a Beech 18 in. dia. for Corner tree. Land rich  
 and liver timber Beech Sugar, underg<sup>t</sup>. Spice

- East On Random between Secs. 21 & 28, S 2 N R 5 E.  
 13.17 a Run 6 lks. wide Course S. dry  
 34.70 a Creech 4 " " " S. W.  
 56.20 a Run 15 " " " S. W.  
 77.20 a do 30 " " " N. W.  
 79.20 Intersected the N. & S. line 90 lks. N. of post.  
 Land and timber as on the last mile

- West Corrected between Secs. 21 & 28, S 2 N R 5 E.  
 39.60 Set q. Sec. post, at average dist. from which  
 a Beech 30 in. dia. bears S 27 W 15 lks. dist. &  
 a do 14 " " " N 5 E 28 " "  
 79.20 to Section Corner

- North Between Secs. 20 & 21, S 2 N R 5 E.  
 32.56 a Beech 26 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 15 in. dia. bears S 12 E 13 lks. dist. &  
 a Beech 9 " " " N 16 W 44 " "  
 47.00 a Run 4 lks. wide Course E. running water  
 49.50 a do 6 " " " S. E. do "  
 50.00 a do 6 " " " S 15 W " "  
 54.00 a do " " " S. E.  
 64.45 a Beech 10 in. dia.  
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which

# S2 N R5 E. 2<sup>d</sup> Mer. Indiana

267

a Sugar 20 in. dia. bears S47 E 9 lks. dist. &  
 a Hook Ash 10 " " " N27 W 20 " "  
 Land rich timber Beech Poplar Sugar underoxt.  
 Spice leather wood &c.

East On Random between Sec. 16 & 21, S2 N R5 E.  
 31.05 a Run 25 lks. wide Course S. E.  
 40.00 Set temp'y. q. Sec. post  
 63.30 a Run 25 lks. wide Course S.  
 79.55 Intersected the N. & S. line 11 lks. N. of post  
 Land and timber as on the last mile

West Corrected between Sec. 16 & 21, S2 N R5 E.  
 39.77 Set q. Sec. post at average dist. from which  
 a Poplar 18 in. dia. bears S61 W 19 lks. dist. &  
 a Beech 8 " " " N71 W 20 " "  
 79.55 to Section Corner

North Between Sec. 16 & 17, S2 N R5 E.  
 6.50 a Run 4 lks. wide Course N. E.  
 16.50 a Do 20 " " " - E.  
 19.91 a Beech 24 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 14 in. dia. bears N65 W 25 lks. dist. &  
 a Spruce 16 " " " S69 E 30 " "  
 60.90 an Ash 16  
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Dogwood 6 in. dia. bears S50 W 20 lks. dist. &  
 a Beech 10 " " " S85 E 12 " "  
 Land rich Soil timber Oak Beech very Brushy &c.

East On Random between Sec. 9 & 16, S2 N R5 E.  
 19.50 a Run 20 lks. wide Course S. W.

S 2 N R 5 E. T<sup>h</sup> Mer. Indiana

40. 00 Set temp'y. q<sup>r</sup>. Sec. post  
 43. 50 a Run 25 lks. wide Course S. 10 W.  
 79. 40 Intersected the N. & S. line 1.35 lks. N. of post  
 Land and timber as on the last mile

- West Corrected between Secs. 9 & 16, S 2 N R 5 E.  
 39. 70 Set q<sup>r</sup>. Sec. post at average dist. from which  
 an Ash 26 in. dia<sup>r</sup>. bears N 88 - 21 lks. dist. &  
 a Poplar 8 " " " N 88 E 2 " "  
 79. 40 To Section Corner

- North Between Secs. 8 & 9, S 2 N R 5 E.  
 11. 50 a Run 20 lks. wide Course East Dry  
 16. 69 a Beech 26 in. dia<sup>r</sup>.  
 22. 00 a Run 25 lks. wide Course S 20 E. keep up it  
 41. 00 Set the q<sup>r</sup>. Sec. post, from which  
 a W. Walnut 28 in. dia<sup>r</sup>. bears N. 7 W 31 lks. dist. &  
 a Poplar 20 " " " S 18 E 16 " "  
 60. 19 a Beech 24 " "  
 62. 50 a Run 25 lks. wide Course S. 10 E.  
 65. 00 a Do 25 " " " S. W.  
 80. 00 Set a post Cor. To Secs. 4, 5, 8 & 9, from which  
 a Poplar 12 in. dia<sup>r</sup>. bears S 51 W 10 lks. dist. &  
 a Beech 14 " " " S 83 E 46 " "  
 Nov<sup>r</sup>. 22<sup>d</sup> 1816

- East On Prandon between Secs. 4 & 9, S 2 N R 5 E  
 40. 00 Set temp'y. q<sup>r</sup>. Sec. post  
 79. 13 Intersected the N. & S. line 260 lks. S. of post  
 Sand rich timber Beech Oak. lever land

- West Corrected between Secs. 4 & 9, S 2 N R 5 E.  
 39. 56 1/2 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Run 18 in. dia<sup>r</sup>. bears S 67 E 32 lks. dist. &

# S 2 N R 5 E. 2<sup>d</sup>. Mer. Indiana

269

79. 13 a Hickory 10 in. dia. bears N 15 W 27. lks. dist.  
To Section Corner

North Between Secs. 4 & 5, S 2 N. R 5 E.

20. 09 a W. Oak 18 in. dia.

40. 00 Set the q. Sec. post, from which  
a Beech 26 in. dia. bears S 17 E 30 lks. dist. &  
a do 30 " " " N 21 W 41 " "

58. 22 a Poplar 36 " "

76. 15 Intersected the N. boundary 10. 11 lks. W. of post  
Set a post Cor. To Secs. 4 & 5, from which  
a Chest. 36 in. dia. bears S 51 E 48 lks. dist. &  
a Beech 40 " " " S 22 W 37 " "  
Land rich & rolling timber Beech Poplar Oak  
Sugar Chest. underg. Dog. Sassafras Spice Some briar

North Between Secs. 31 & 32, S 2 N. R 5 E.

2. 50 a Poplar 40 in. dia.

14. 67 a do 20 " "

40. 00 Set the q. Sec. post, from which  
a Poplar 6 in. dia. for Cor. tree

44. 50 a Run 6 lks. wide Cours W.

57. 00 a Creek 40 lks. wide, Cr. S. W.

68. 67 a Beech 16 in. dia.

80. 00 Set a post Cor. To Secs. 29, 30, 31 & 32, from which  
a Beech 28 in. dia. bears N 39 E 25 lks. dist. &  
a do 20 " " " S 1 E 25 " "  
Land rich & rolling last. & rich Bottoms. timber  
Beech Poplar W. Walnut oak Sugar undergrowth  
Spice briars &c.

East On Random between Secs. 29 & 32, S 2 N. R 5 E.

40. 00 Set temp. q. Sec. post



S 2 N. R 5 E. T<sup>h</sup>. Mer. Indiana

- 50.00 a Creech 40 lbs. wide Course S. W. Stony Bottom  
 61.00 a Run 8 " " " S. W.  
 69.00 a do 4 " " " S. W.  
 78.88 Intersected the N. & S. line at the post  
 Sand timberfree on the last mile

- West Corrected between Secs. 29, 32, S 2 N. R 5 E.  
 39.44 Set of Sec. post, at average dist. from which  
 a Beech 14 in. dia. bears N 40 E 11 lbs. dist. &  
 a do 18 " " " S 51 W 12 " "  
 78.88 to Section Corner

- West Between Secs. 30 & 31, S 2 N. R 5 E.  
 34.50 a Run 6 lbs. wide Course S. E.  
 36.65 a Beech 30 in. dia.  
 40.00 Set the of Sec. post. a Dogwood 6 in. is Corner  
 55.50 a Beech 16 in. dia.  
 72.78 Intersected the W. boundary at the post  
 Set a post Cor. to Secs. 30 & 31, from which  
 a Sugar 26 in. dia. bears S 27 E 14 lbs. dist. &  
 a Beech 16 " " " N 10 W 22 " "  
 Land rich scarce any timber very brushy Grapes  
 vines briars &c.

- North Between Secs. 29 & 30, S 2 N. R 5 E.  
 14.00 a Run 6 lbs wide Course S. E.  
 14.50 a do 6 " " " S. W.  
 15.00 a do 6 " " " S. E.  
 38.62 a Beech 12 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Poplar 50 in. dia. bears N 68 E 7 lbs. dist. &  
 an Ash 30 " " " N 87 W 39 " "  
 48.00 a Run 8 lbs. wide Course S. E.

S 2. N R 5 E. 2<sup>nd</sup> Mer. Indiana

- 55.71 a Gum 20 in. dia. in the line  
 68.50 a Creech 30 lks. wide Course E. & dry  
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 18 in. dia. bears S 30 E 20 lks. dist. &  
 a Do 16 " " " N 22 W 36 " "  
 Land rich Soil somewhat Hilly timber Beech  
 underg. grapevines briar &c.

- East On Random between Sec. 20 & 29, S 2. N. R 5 E.  
 .50 a Run 6 lks. wide Course S. W.  
 40.00 Set temp. g. Sec. post,  
 40.50 a Creech 40 lks. wide Course S. E.  
 80.00 Intersected the N. & S. line 10 lks. S. of post  
 Land timber &c. as on the last mile

- West Corrected between Sec. 20 & 29, S 2. N. R 5 E.  
 40.00 Set g. Sec. post at average dist. from which  
 a Beech 30 in. dia. bears S 14 W 22 lks. dist. &  
 a Sugar 14 " " " N 48 E 67 " "  
 80.00 to Section Corner

- West Between Sec. 19 & 30, S 2. N. R 5 E.  
 11.10 a Run 6 lks. wide Course S.  
 7.00 a Do 10 " " " S. E.  
 21.50 a Beech 30 in. dia.  
 40.00 Set the g. Sec. post, from which  
 a dogwood 8 in. dia. bears S 54 W 24 lks. dist. &  
 a Beech 6 " " " N 55 E 19 " "  
 58.73 a Poplar 30 " "  
 71.50 Intersected the W. boundary 38 lks. N. of post  
 Set a post Cor. to Sec. 19 & 30, from which  
 a Beech 26 in. dia. bears S 9 E 25 lks. dist. &  
 a Sugar 11 " " " N 1 W 12 " "

## S 2 N R 5 E. T. Mer. Indiana

Land as on the last mile

North	Between Sec. 19 & 20, S 2 N R 5 E.
1.50	a Run 10 lks. wide Course S. 10 W.
4.50	a do 10 " " " S. 15 E.
7.00	a do 10 " " " S. 10 W.
7.50	a do 10 " " " S. 10 W.
18.62	an Ash 20 in. dia.
40.00	Set the q. Sec. post, from which a Beech 30 in. dia. bears N 83 W. 35 lks. dist. & an Elm 14 " " " S 54 E 22 " "
55.15	a Linn 16 " "
80.00	Set a post Cor. to Sec. 17, 18, 19 & 20, from which a Beech 12 in. dia. bears S 68 E 26 lks. dist. & a do 16 " " " N 88 W 22 " " Land rolling rich Soil Beech Poplar Sugar Walnut undergrowth Spice

East	On Prandom between Sec. 17 & 20, S 2 N R 5 E.
15.50	a Run 6 lks. wide Course S. E.
40.10	Set temp. q. Sec. post
80.62	Intersected the N. & S. line 27 lks. S. of post Land rich & rolling timber Beech Sugar Spice Buck p.

West	Corrected between Sec. 17 & 20, S 2 N R 5 E.
40.31	Set q. Sec. post at average dist. from which a B. Walnut 6 in. dia. bears N 57 W 21 lks. dist. & a Sugar 18 " " " S 65 E 49 " "
80.62	to Section Corner

West	Between Sec. 18 & 19, S 2 N R 5 E.
17.62	a B. Ash 12 in. dia.
40.00	Set the q. Sec. post, from which

## S 2 N. R 5 E. 2. Mer. Indiana

a Spruce 28 in. dia. bears N 81 W 31 lks. dist. 4  
 an Ash 18 " " " S 25 E 38 " "  
 52. 15 a W. Walnut 20 " "  
 72. 30 Intersected the W. boundary 9 lks. N. of post  
 Set a post Cor. to Sec. 18 & 19, from which  
 a W. Oak 18 in. dia. bears N 80 E 17 lks. dist. 4  
 a Sugar 8 " " " S 38 E 27 " "  
 Land first quality timber Walnut Ash Elm Beech Spice &c.

North Between Sec. 17 & 18, S 2 N. R 5 E.  
 29. 41 a B. Ash 24 in. dia.  
 40. 00 Set the q. Sec. post where a Hickory 11 in. dia. is cor. tree  
 68. 40 a Beech 30 in. dia.  
 77. 50 a Run 10 lks. wide Course W.  
 80. 00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Sugar 16 in. dia. bears S 8 W 20 lks. dist. 4  
 a Beech 24 " " " N 2 E 21 " "  
 Land rolling r. rate soil Brushy timber Ash Walnut  
 Sugar Poplar Beech Hickory Oak &c. Undergrowth  
 Grape vines green briars Spice &c.

East On Random between Sec. 8 & 17, S 2 N. R 5 E.  
 40. 00 Set temp. q. Sec. post  
 80. 27 Intersected the N. & S. line, at the post  
 Land rich rolling timber Beech Poplar Brushy Spice &c.

West Corrected between Sec. 8 & 17, S 2 N. R 5 E.  
 40. 13 1/2 Set q. Sec. post at average dist. from which  
 a Hickory 48 in. dia. bears N 21 W 12 lks. dist. 4  
 a W. Oak 16 " " " S 12 E 12 " "  
 80. 27 To Section Corner

West Between Sec. 7 & 18, S 2 N. R 5 E.



T2N R5E 2<sup>d</sup>. Mer. Indiana

18. 90 a Sugar 14 in. dia.  
 19. 00 a Run 10 lks wide Course N. 30 W.  
 22. 25 a Do 10 " " " S. 30 W.  
 24. 00 a Do 10 " " " N. 30 W.  
 25. 25 a Do 10 " " " S. 30 W.  
 30. 00 a Do " " " "  
 34. 75 a Do " " " " N. 30 W.  
 37. 75 a Do " " " " S. W.  
 40. 00 Set the q. Sec. post, from which  
 an Elm 12 in. dia. bears N 73 E 19 lks. dist. &  
 a Beech 14 " " " S 71 W 26 " "  
 58. 00 a Run 6 lks wide Course S. W.  
 60. 55 a Beech 18 in. dia.  
 72. 50 Intersected the W. boundary 1.77 lks. N. of post  
 Set a post Cor. To Sec. 7 & 8, from which  
 an Ash 50 in. dia. bears N 29 E 29 lks. dist. &  
 a Beech 10 S 52 E 60 " "  
 Land as before

- North Between Sec. 7 & 8, T2N. R5E.  
 19. 62 a Beech 18 in. dia.  
 40. 00 Set the q. Sec. post, from which  
 a Sugar 12 in. dia. bears S 24 E 16 lks. dist. &  
 a Do 11 " " " N 34 W 65 " "  
 42. 70 a Run 25 lks wide Course S. W.  
 58. 22 an Ash 18 in. dia.  
 60. 00 Set a post. Cor. to Sec. 5, 6, 7 & 8, from which  
 a Poplar 10 in. dia. bears N 17 E 35 lks. dist. &  
 a Beech 10 " " " S 81 W 25 " "  
 Land level & Brashy Soil first rate timber Walnut  
 Ash Beech grapevines Brier Spice &c.

East On Random between Sec. 5 & 8, T2N. R5E.

# S 2 N R 5 E. T. Mer. Indiana

40.00 Set temp'y. q. Sec. post  
 42.40 a drain 4 lks wide Course S.  
 44.40 a do 6 " " " S.  
 50.37 Intersected the N. & S. line at the post  
 Land & rate Soil milling timber Beech Poplar Oak &c.

West Corrected between Sec. 5 & 8, S 2 N. R 5 E.  
 40.18 1/2 Set q. Sec. post at average dist. from which  
 a Beech 40 in. dia. bears S 78 E 32 lks. dist. &  
 a do 28 " " " N 60 W 31 " "  
 50.37 To Section Corner

West Between Sec. 6 & 7, S 2 N. R 5 E.  
 34.26 a Beech 14 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 10 in. dia. bears S 56 E 17 lks. dist. &  
 a Beech 26 " " " N 28 W 25 " "  
 60.60 an Ash 16 " "  
 72.82 Intersected the W. boundary N. of post  
 Set a post Cor. to Sec. 6 & 7, from which  
 a Beech — in. dia. bears N 57 E 40 lks. dist. &  
 a do 26 " " " S 77 E 65 " "  
 first 1/2 half Land and timber as before 2 1/2  
 Exceeding Brueky vines nearly destroyed -

North Between Sec. 5 & 6, S 2 N. R 5 E  
 78.00 a Run 6 lks wide Course W.  
 16.57 a Poplar 26 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 36 in. dia. bears S 78 E 26 lks. dist. &  
 a Poplar 16 " " " N 80 W 11 " "  
 52.25 a Run 15 lks. wide (fine running stream) West  
 64.39 a Beech 36 in. dia. in the line

T2N R5E, 2<sup>d</sup> Mer. Indiana

78. 75 Intersected the N. boundary 10.30 hrs. W. of post.  
 Set a post Cor. to Sec<sup>s</sup>. 5 & 6, from which  
 a Maple 24 in. dia. bears S 56° W 19 hrs. dist. &  
 a do 36 " " " S 43° E 59 " "  
 first half of this mile N. rate last half  
 Meddow Land, Surveyed by So. A. Sanwill, and  
 Jacob Fowler D.S.

---



---

Comp.

I Certify that the foregoing transcript of field notes of Township  
 N. 2 North, of Range N. 5 East 2<sup>d</sup> Mer. Indiana, has been  
 compared with the original notes in this Office, and found  
 to be correct.

Surveyor General's Office  
 Cincinnati, Sept. 27<sup>th</sup> 1843

E. S. Rains  
 Sur. Genl.